NSN 3110-01-252-5360

Bearing Retaining Plate - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3110-01-252-5360

| Outside Diameter: |
|--|
| 4.250 inches |
| Mounting Hole Diameter: |
| Between 0.344 inches and 0.406 inches |
| Aperture Diameter: |
| 2.090 inches |
| Mounting Hole Arrangement Style: |
| Four holes |
| Distance Between Holes Along Length: |
| 3.006 inches |
| Distance Between Holes Along Width: |
| 3.006 inches |
| Ear Radius: |
| 0.380 inches |
| Overall Thickness: |
| 2.344 inches |
| First Counterbore Diameter: |
| Between 2.3588 inches and 2.3598 inches |
| Second Counterbore Diameter: |
| Between 2.752 inches and 2.754 inches |
| Distance From Vertical Centerline To Center Of Right Hole: |
| 1.503 inches |
| Distance From Horizontal Centerline To Center Of Right Hole: |
| 1.503 inches |
| Mounting Hole Type: |
| Round, unthreaded |
| Material: |
| Aluminum alloy 355.0 or aluminum alloy 356.0 |
| Material Specification: |
| Qq-a-601 federal specification all material responses or qq-a-596 federal specification all material responses |
| Surface Treatment: |
| Chromate |
| Surface Treatment Specification: |
| Mil-c-5541, class 1a military specification single treatment response |
| Style Designator: |
| Rounded |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| - |
| Demilitarization: |

No

NSN 3110-01-252-5360

Bearing Retaining Plate - Page 2 of 2



Fiig:

A093a0

Mil-std (military Standard):

Mil-c-5541 spec.