

View Online at <https://aerobasegroup.com/nsn/3110-01-252-5361>

Cross Sectional Shape:

Counterbored w/ aperture

Outside Diameter:

Between 4.240 inches and 4.360 inches

Minor Thickness:

0.500 inches

Body Diameter:

Between 3.683 inches and 3.685 inches

Mounting Hole Diameter:

Between 0.344 inches and 0.406 inches

Aperture Diameter:

Between 2.165 inches and 2.166 inches

Mounting Hole Arrangement Style:

Four holes

Distance Between Holes Along Length:

3.040 inches

Distance Between Holes Along Width:

3.040 inches

Ear Radius:

Between 0.320 inches and 0.450 inches

Body Thickness:

0.383 inches

Overall Thickness:

0.883 inches

Counterbore Diameter:

Between 2.565 inches and 2.568 inches

Distance From Vertical Centerline To Center Of Right Hole:

1.520 inches

Counterbore Depth:

Between 0.201 inches and 0.203 inches

Distance From Horizontal Centerline To Center Of Right Hole:

1.520 inches

Mounting Hole Type:

Round, unthreaded

Special Features:

Groove on od; housing split

Material:

Aluminum alloy 355.0 or aluminum alloy 356.0

Material Specification:

Qq-a-601 federal specification all material responses or qq-a-596 federal specification all material responses

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 military specification single treatment response

Style Designator:

Rounded

Test Data Document:

81349-mil-std-6866 standard (includes industry or association standards, individual manufactureer standards, etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A093a0

Mil-std (military Standard):

Mil-c-5541 spec.