

View Online at <https://aerobasegroup.com/nsn/3110-01-260-7263>

Overall Width:

Between 0.3388 inches and 0.3438 inches

Bore Diameter:

Between 0.6247 inches and 0.6250 inches

Overall Outside Diameter:

Between 1.3745 inches and 1.3750 inches

Lubrication Material:

Grease

Surface Finish:

Ground

Retainer Fabrication Method:

Pressed

Shield Quantity:

2

Load Direction:

Radial

Bore Shape:

Straight

Internal Fit-up Designation:

Loose

Standard Tolerance Designation:

Abec no.1

Functional Description:

Elec motors, appliances, instr and data recorder appl

Lubrication Material Specification:

Mil-g-81322 military specification single material response and fs381a mfr ref single material response

Material:

Steel comp e52100 outer ring

Material Specification:

Aisi assn standard single material response shield or sae j405 uns s30200 assn standard single material response shield

Reference Data And Literature:

Mil-b-7949

Surface Treatment:

Cadmium all external/exposed metal surfaces

Surface Treatment Specification:

Qq-p-416, type 1, class 2 federal specification single treatment response all external/exposed metal surfaces

Style Designator:

Non-loading groove, non-separable

Supplementary Features:

Quiet running

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A044a0

Mil-std (military Standard):

Mil-g-81322 spec.