

View Online at <https://aerobasegroup.com/nsn/3110-01-263-3490>

Bore Diameter:

Between 0.3123 inches and 0.3125 inches

Lubrication Material:

Lubricating oil

Flange Outside Diameter:

0.5469 inches

Flange Width:

0.0312 inches

Outer Ring Width:

Between 0.1552 inches and 0.1562 inches

Inner Ring Width:

Between 0.1865 inches and 0.1875 inches

Outer Ring Outside Diameter:

Between 0.4998 inches and 0.5000 inches

Surface Finish:

Ground

Retainer Fabrication Method:

Machined

Shield Quantity:

2

Load Direction:

Radial

Bore Shape:

Straight

Internal Clearance:

0.0002 inches radial and 0.0008 inches radial

Standard Tolerance Designation:

Abec no. 7p

Functional Description:

Low torque startup

Lubrication Material Specification:

Mil-I-6085 military specification single material response and anderol 401d mfr ref single material response

Material:

Steel comp 410 shield

Material Specification:

Aisi/sae j405, uns s44004 assn standard single material response inner ring

Relationship To Similar Equipment:

Similar to rn 81349-022x31201x2131 except stamped crown stnls rtn

Style Designator:

Non-loading groove, non-separable

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A044a0

Mil-std (military Standard):

Mil-I-6085 spec.