

View Online at <https://aerobasegroup.com/nsn/3110-01-263-3490>

**Bore Diameter:**

Between 0.3123 inches and 0.3125 inches

**Lubrication Material:**

Lubricating oil

**Flange Outside Diameter:**

0.5469 inches

**Flange Width:**

0.0312 inches

**Outer Ring Width:**

Between 0.1552 inches and 0.1562 inches

**Inner Ring Width:**

Between 0.1865 inches and 0.1875 inches

**Outer Ring Outside Diameter:**

Between 0.4998 inches and 0.5000 inches

**Surface Finish:**

Ground

**Retainer Fabrication Method:**

Machined

**Shield Quantity:**

2

**Load Direction:**

Radial

**Bore Shape:**

Straight

**Internal Clearance:**

0.0002 inches radial and 0.0008 inches radial

**Standard Tolerance Designation:**

Abec no. 7p

**Functional Description:**

Low torque startup

**Lubrication Material Specification:**

Mil-I-6085 military specification single material response and anderol 401d mfr ref single material response

**Material:**

Steel comp 410 shield

**Material Specification:**

Aisi/sae j405, uns s44004 assn standard single material response inner ring

**Relationship To Similar Equipment:**

Similar to rn 81349-022x31201x2131 except stamped crown stnls rtn

**Style Designator:**

Non-loading groove, non-separable

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A044a0

**Mil-std (military Standard):**

Mil-I-6085 spec.