

View Online at <https://aerobasegroup.com/nsn/3110-01-273-0829>

Overall Width:

Between 0.1910 inches and 0.1960 inches

Bore Diameter:

Between 0.1872 inches and 0.1875 inches

Overall Outside Diameter:

Between 0.4996 inches and 0.5000 inches

Lubrication Material:

Grease

End Application:

Motor assembly, model br 1150

Surface Finish:

Ground

Retainer Fabrication Method:

Pressed

Shield Quantity:

2

Load Direction:

Angular

Bore Shape:

Straight

Internal Fit-up Designation:

Loose

Standard Tolerance Designation:

Abec no.1

Functional Description:

Fractional hp mtr lub appl

Lubrication Material Specification:

Mil-g-23827 military specification single material response

Material:

Steel comp e52100 outer ring

Material Specification:

Sae j405 uns s30200 assn standard 1st material response shield or sae j405 uns s30500 assn standard 2nd material response shield

Surface Treatment:

Cadmium all external/exposed metal surfaces

Surface Treatment Specification:

Qq-p-416, type 1, class 2 federal specification single treatment response all external/exposed metal surfaces

Style Designator:

Non-loading groove, non-separable

Specification Data:

96906-mil-std-102 government standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A044a0

Mil-std (military Standard):

Mil-g-23827 spec.