NSN 3110-01-309-4928

Bearing Retaining Plate - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3110-01-309-4928

Cross Sectional Shape:
Flat w/aperture
Outside Diameter:
3.250 inches
Mounting Hole Diameter:
Between 0.280 inches and 0.287 inches
Aperture Diameter:
Between 1.690 inches and 1.720 inches
Mounting Hole Arrangement Style:
Single bolt hole circle
Bolt Circle Hole Quantity:
8
Overall Thickness:
0.250 inches
Mounting Bolt Circle Diameter:
2.500 inches
Countersink Diameter:
0.530 inches
Hardness Rating:
Between 38.0 rockwell c and 42.0 rockwell c
Countersink Angle:
Countersink Angle: 82.0 degrees
-
82.0 degrees
82.0 degrees Mounting Hole Type:
82.0 degrees Mounting Hole Type: Round, unthreaded, countersunk
82.0 degrees Mounting Hole Type: Round, unthreaded, countersunk Material:
82.0 degrees Mounting Hole Type: Round, unthreaded, countersunk Material: Steel comp 4340 or steel comp e4340
82.0 degrees Mounting Hole Type: Round, unthreaded, countersunk Material: Steel comp 4340 or steel comp e4340 Material Specification:
82.0 degrees Mounting Hole Type: Round, unthreaded, countersunk Material: Steel comp 4340 or steel comp e4340 Material Specification: Ams 6359 assn standard 1st material response or mil-s-5000 military specification 2nd material response
82.0 degrees Mounting Hole Type: Round, unthreaded, countersunk Material: Steel comp 4340 or steel comp e4340 Material Specification: Ams 6359 assn standard 1st material response or mil-s-5000 military specification 2nd material response Style Designator:
82.0 degrees Mounting Hole Type: Round, unthreaded, countersunk Material: Steel comp 4340 or steel comp e4340 Material Specification: Ams 6359 assn standard 1st material response or mil-s-5000 military specification 2nd material response Style Designator: Round
82.0 degrees Mounting Hole Type: Round, unthreaded, countersunk Material: Steel comp 4340 or steel comp e4340 Material Specification: Ams 6359 assn standard 1st material response or mil-s-5000 military specification 2nd material response Style Designator: Round Shelf Life:
82.0 degrees Mounting Hole Type: Round, unthreaded, countersunk Material: Steel comp 4340 or steel comp e4340 Material Specification: Ams 6359 assn standard 1st material response or mil-s-5000 military specification 2nd material response Style Designator: Round Shelf Life: N/a
82.0 degrees Mounting Hole Type: Round, unthreaded, countersunk Material: Steel comp 4340 or steel comp e4340 Material Specification: Ams 6359 assn standard 1st material response or mil-s-5000 military specification 2nd material response Style Designator: Round Shelf Life: N/a
82.0 degrees Mounting Hole Type: Round, unthreaded, countersunk Material: Steel comp 4340 or steel comp e4340 Material Specification: Ams 6359 assn standard 1st material response or mil-s-5000 military specification 2nd material response Style Designator: Round Shelf Life: N/a Unit Of Measure:
Mounting Hole Type: Round, unthreaded, countersunk Material: Steel comp 4340 or steel comp e4340 Material Specification: Ams 6359 assn standard 1st material response or mil-s-5000 military specification 2nd material response Style Designator: Round Shelf Life: N/a Unit Of Measure: Demilitarization:
Mounting Hole Type: Round, unthreaded, countersunk Material: Steel comp 4340 or steel comp e4340 Material Specification: Ams 6359 assn standard 1st material response or mil-s-5000 military specification 2nd material response Style Designator: Round Shelf Life: N/a Unit Of Measure: Demilitarization: No
82.0 degrees Mounting Hole Type: Round, unthreaded, countersunk Material: Steel comp 4340 or steel comp e4340 Material Specification: Ams 6359 assn standard 1st material response or mil-s-5000 military specification 2nd material response Style Designator: Round Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: