

View Online at <https://aerobasegroup.com/nsn/3110-01-317-5289>

Cross Sectional Shape:

Counterbored w/ aperture

Outside Diameter:

3.250 inches

Minor Thickness:

Between 0.271 inches and 0.291 inches

Body Diameter:

Between 2.3115 inches and 2.3120 inches

Aperture Diameter:

1.218 inches

Mounting Hole Arrangement Style:

Two bolt holes circles

Body Thickness:

0.125 inches

Overall Thickness:

0.406 inches

First Bolt Circle Diameter:

1.812 inches

Second Bolt Circle Diameter:

2.750 inches

Thready Qty Per Inch (tpi):

24

Thread Size:

0.190 inches

Surface Finish:

63.0 microinches bore

Counterbore Diameter:

Between 1.3749 inches and 1.3751 inches

First Bolt Circle Hole Quantity:

3

Second Bolt Circle Hole Quantity:

2

Counterbore Depth:

0.343 inches

Mounting Hole Type:

Round, threaded

Special Features:

Three bolt holes equally spaced diameter through of 0.214 min. And 0.234 maximum and counterbore dia. Of 0.344 in.; also a slot with a radius of 0.312 inches

Material:

Steel comp 1020

Material Specification:

Astm a575 assn standard single material response or astm a576 assn standard single material response or astm a108 assn standard single material response

Surface Treatment:

Phosphate manganese

Surface Treatment Specification:

Dod-p-16232 military specification single treatment response

Style Designator:

Round

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A093a0

Mil-std (military Standard):

spec.