

View Online at <https://aerobasegroup.com/nsn/3110-01-320-4106>

**Cross Sectional Shape:**

Counterbored w/ aperture

**Counterbore Diameter:**

Between 0.385 inches and 0.405 inches

**Counterbore Depth:**

0.047 inches

**Outside Diameter:**

3.187 inches

**Minor Thickness:**

Between 0.206 inches and 0.226 inches

**Body Diameter:**

2.375 inches

**Mounting Hole Diameter:**

Between 0.219 inches and 0.229 inches

**Aperture Diameter:**

1.937 inches

**Mounting Hole Arrangement Style:**

Single bolt hole circle

**Bolt Circle Hole Quantity:**

3

**Body Thickness:**

0.221 inches

**Overall Thickness:**

0.437 inches

**Mounting Bolt Circle Diameter:**

2.750 inches

**Counterbore Diameter:**

Between 2.1248 inches and 2.1251 inches

**Counterbore Depth:**

0.375 inches

**Mounting Hole Type:**

Round, unthreaded, counterbored

**Special Features:**

Two additional holes on 2.75 in. Bolt circle dia-0.154 in. Min to 0.164 in. Maximum dia

**Material:**

Steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1022 or steel comp 1023 or steel comp 1025

**Material Specification:**

Aisi assn standard all material responses

**Surface Treatment:**

Phosphate manganese

**Surface Treatment Specification:**

Dod-p-16232, type m, class 1 military specification single treatment response

**Style Designator:**

Round

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A093a0

**Mil-std (military Standard):**

spec.