

View Online at <https://aerobasegroup.com/nsn/3110-01-320-4106>

Cross Sectional Shape:

Counterbored w/ aperture

Counterbore Diameter:

Between 0.385 inches and 0.405 inches

Counterbore Depth:

0.047 inches

Outside Diameter:

3.187 inches

Minor Thickness:

Between 0.206 inches and 0.226 inches

Body Diameter:

2.375 inches

Mounting Hole Diameter:

Between 0.219 inches and 0.229 inches

Aperture Diameter:

1.937 inches

Mounting Hole Arrangement Style:

Single bolt hole circle

Bolt Circle Hole Quantity:

3

Body Thickness:

0.221 inches

Overall Thickness:

0.437 inches

Mounting Bolt Circle Diameter:

2.750 inches

Counterbore Diameter:

Between 2.1248 inches and 2.1251 inches

Counterbore Depth:

0.375 inches

Mounting Hole Type:

Round, unthreaded, counterbored

Special Features:

Two additional holes on 2.75 in. Bolt circle dia-0.154 in. Min to 0.164 in. Maximum dia

Material:

Steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1022 or steel comp 1023 or steel comp 1025

Material Specification:

Aisi assn standard all material responses

Surface Treatment:

Phosphate manganese

Surface Treatment Specification:

Dod-p-16232, type m, class 1 military specification single treatment response

Style Designator:

Round

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A093a0

Mil-std (military Standard):

spec.