

View Online at <https://aerobasegroup.com/nsn/3110-01-320-8244>

Cross Sectional Shape:

Raised surface w/aperture

Outside Diameter:

5.000 inches

Mounting Hole Diameter:

Between 0.342 inches and 0.352 inches

Aperture Diameter:

Between 1.751 inches and 1.752 inches

Mounting Hole Arrangement Style:

Two bolt holes circles

Overall Thickness:

2.375 inches

First Bolt Circle Diameter:

2.687 inches

Second Bolt Circle Diameter:

4.375 inches

Raised Surface Height:

1.281 inches

Counterbore Diameter:

2.625 inches

First Bolt Circle Hole Quantity:

6

Second Bolt Circle Hole Quantity:

6

Counterbore Depth:

0.562 inches

Mounting Hole Type:

Round, unthreaded

Inside Raised Surface Diameter:

Between 2.312 inches and 2.313 inches

Outside Raised Surface Diameter:

3.187 inches

Flange Thickness:

0.376 inches

Special Features:

A second set of bolt holes with 0.250-20unc-3bx.50 min full thd depth hole depth 1.06 maximum and csk 90 degrees plus or minus 10 degrees by 0.28 inches plus or minus 0.0101 inch; the third set of bolt holes with 0.3125-18unc-3b through 2 holes are 180 degrees apart

Material:

Aluminum alloy 6061

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type ii, class 2 military specification single treatment response

Style Designator:

Round

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A093a0

Mil-std (military Standard):

Mil-a-8625 spec.