NSN 3110-01-323-3013

Cross Sectional Shape:

Counterbore Diameter:

Counterbore Depth:

Outside Diameter:

Flat w/aperture

0.316 inches

0.100 inches

2.800 inches

Bearing Retaining Plate - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3110-01-323-3013

Mounting Hole Diameter:	
Between 0.218 inches and 0.224 inches	
Aperture Diameter:	
1.500 inches	
Mounting Hole Arrangement Style:	
Four holes	
Distance Between Holes Along Length:	
1.710 inches	
Distance Between Holes Along Width:	
1.710 inches	
Overall Thickness:	
0.250 inches	
Surface Finish:	
63.0 microinches bearing surface	
Distance From Vertical Centerline To Center Of Right Hole:	
0.855 inches	
Distance From Center Of Plate To Flat:	
1.070 inches	
Distance From Horizontal Centerline To Center Of Right Hole	:
O.855 inches	:
_	•
0.855 inches	•
0.855 inches Mounting Hole Type:	•
0.855 inches Mounting Hole Type: Round, unthreaded, counterbored	•
0.855 inches Mounting Hole Type: Round, unthreaded, counterbored Special Features:	=
0.855 inches Mounting Hole Type: Round, unthreaded, counterbored Special Features: Three additional mounting holes, 0.138 in. Dia, 32-unc-2b	=
0.855 inches Mounting Hole Type: Round, unthreaded, counterbored Special Features: Three additional mounting holes, 0.138 in. Dia, 32-unc-2b Material:	=
0.855 inches Mounting Hole Type: Round, unthreaded, counterbored Special Features: Three additional mounting holes, 0.138 in. Dia, 32-unc-2b Material: Steel comp 303	=
0.855 inches Mounting Hole Type: Round, unthreaded, counterbored Special Features: Three additional mounting holes, 0.138 in. Dia, 32-unc-2b Material: Steel comp 303 Material Specification:	•
0.855 inches Mounting Hole Type: Round, unthreaded, counterbored Special Features: Three additional mounting holes, 0.138 in. Dia, 32-unc-2b Material: Steel comp 303 Material Specification: Astm a582, cond a assn standard single material response	•
0.855 inches Mounting Hole Type: Round, unthreaded, counterbored Special Features: Three additional mounting holes, 0.138 in. Dia, 32-unc-2b Material: Steel comp 303 Material Specification: Astm a582, cond a assn standard single material response Surface Treatment:	
0.855 inches Mounting Hole Type: Round, unthreaded, counterbored Special Features: Three additional mounting holes, 0.138 in. Dia, 32-unc-2b Material: Steel comp 303 Material Specification: Astm a582, cond a assn standard single material response Surface Treatment: Passivate	
Mounting Hole Type: Round, unthreaded, counterbored Special Features: Three additional mounting holes, 0.138 in. Dia, 32-unc-2b Material: Steel comp 303 Material Specification: Astm a582, cond a assn standard single material response Surface Treatment: Passivate Surface Treatment Specification:	•
Mounting Hole Type: Round, unthreaded, counterbored Special Features: Three additional mounting holes, 0.138 in. Dia, 32-unc-2b Material: Steel comp 303 Material Specification: Astm a582, cond a assn standard single material response Surface Treatment: Passivate Surface Treatment Specification: Qq-p-35 federal specification single treatment response	•
Mounting Hole Type: Round, unthreaded, counterbored Special Features: Three additional mounting holes, 0.138 in. Dia, 32-unc-2b Material: Steel comp 303 Material Specification: Astm a582, cond a assn standard single material response Surface Treatment: Passivate Surface Treatment Specification: Qq-p-35 federal specification single treatment response Style Designator:	

NSN 3110-01-323-3013

Bearing Retaining Plate - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A093a0