

View Online at <https://aerobasegroup.com/nsn/3110-01-342-0424>

Cross Sectional Shape:

Raised surface w/o aperture

Outside Diameter:

Between 1.850 inches and 1.890 inches

Minor Thickness:

Between 0.135 inches and 0.145 inches

Mounting Hole Arrangement Style:

Single bolt hole circle

Bolt Circle Hole Quantity:

16

Overall Thickness:

Between 0.445 inches and 0.455 inches

Mounting Bolt Circle Diameter:

1.562 inches

Countersink Diameter:

Between 0.115 inches and 0.130 inches

Raised Surface Height:

Between 0.185 inches and 0.195 inches

Thready Qty Per Inch (tpi):

40

Thread Size:

0.112 inches

Countersink Angle:

Between 80.0 degrees and 100.0 degrees

Surface Finish:

32.0 microinches raised surface

Counterbore Diameter:

Between 1.0234 inches and 1.0236 inches

Counterbore Depth:

0.262 inches

Mounting Hole Type:

Round, threaded, countersunk

Inside Raised Surface Diameter:

1.078 inches

Outside Raised Surface Diameter:

Between 1.2496 inches and 1.2498 inches

Material:

Steel comp xm-12 or steel comp 303se

Material Specification:

Astm a564 assn standard 1st material response or astm a582 assn standard 2nd material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35, type 4 federal specification single treatment response

Style Designator:

Round

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A093a0