

View Online at <https://aerobasegroup.com/nsn/3110-01-465-6024>

Bore Diameter:

Between 0.3747 inches and 0.3750 inches

Overall Outside Diameter:

Between 1.0621 inches and 1.0625 inches

Lubrication Material:

Grease

End Application:

Helicopter, lamps mark iii, sh-60b

Outer Ring Width:

Between 1.0580 inches and 1.0630 inches

Inner Ring Width:

Between 1.1855 inches and 1.1880 inches

Seal Quantity:

2

Bearing Seal Type:

Contact

Load Direction:

Angular

Internal Clearance:

0.0002 inches radial and 0.0005 inches radial

Product Name:

Precision bearing, extra wide type-double row

Special Features:

80 pct min fill of specified lubricant

Lubrication Material Specification:

Mil-g-81322 military specification single material response

Material:

Steel retainer

Material Specification:

Ams 6440 assn standard single material response retainer or ams 6444 assn standard single material response retainer

Surface Treatment:

Cadmium exposed surfaces as mounted

Surface Treatment Specification:

Qq-+416 federal specification single treatment response exposed surfaces as mounted

Style Designator:

Double row

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A044a0

Mil-std (military Standard):

Mil-g-81322 spec.