

View Online at <https://aerobasegroup.com/nsn/3110-01-518-8606>

Thread Class:

3b

Thread Direction:

Left-hand

Hole Diameter:

0.7000 inches

Shank Diameter:

Between 0.4280 inches and 0.4480 inches

Shank Style:

Internally threaded w/bead, wrench flats and hole

Overall Length:

1.7660 inches

Bore Diameter:

Between 0.1897 inches and 0.1900 inches

Overall Outside Diameter:

0.7910 inches

End Application:

C-17a aircraft

Shank Thread Length:

Between 0.7190 inches and 0.7810 inches

Outer Ring Width:

Between 0.3180 inches and 0.3380 inches

Inner Ring Width:

Between 0.4320 inches and 0.4370 inches

Length From Bore Center To Shank End:

Between 1.3650 inches and 1.3850 inches

Alignment Type:

Self-aligning

Self-alignment Location:

External

Width Across Flats:

0.4380 inches

Distance From Hole Center To End:

0.3120 inches

Thready Qty Per Inch (tpi):

24

Thread Size:

0.313 inches

Product Name:

Bearing, ball.Rod end-intl thd, self-aligning, anti-friction

Material:

Steel comp 8620 rod end body

Surface Treatment:

Cadmium all external/exposed metal surfaces

Surface Treatment Specification:

Qq-p-416, type 1, class 2 federal specification single treatment response all external/exposed metal surfaces

Style Designator:

Double row, ball

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A044a0