

View Online at <https://aerobasegroup.com/nsn/3120-00-005-5729>

**Hole Diameter:**

0.0500 inches and 0.0600 inches first

**Overall Length:**

Between 0.6420 inches and 0.6510 inches

**Body Outside Diameter:**

Between 0.6883 inches and 0.6889 inches

**Body Inside Diameter:**

Between 0.5550 inches and 0.5580 inches

**Flange Outside Diameter:**

0.8750 inches

**Flange Width:**

Between 0.0610 inches and 0.0620 inches

**Lubricant Accommodation Style:**

Grooved circular

**Corner Shape:**

Square outside right corner

**Hardness Rating:**

90.0 rockwell c

**Surface Finish:**

125.0 microinches

**Antirotation/lubrication Type And Quantity:**

4 hole

**Surface Groove Location And Quantity:**

1 external and 1 internal

**Material:**

Copper alloy 630

**Material Specification:**

Ams 4640 assn standard single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Qq-p-416, type 2, cl 2 federal specification single treatment response

**Style Designator:**

Solid, external flange one end

**Test Data Document:**

84955-kps212 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A045a0