

View Online at <https://aerobasegroup.com/nsn/3120-00-009-9095>

Hole Diameter:

0.1860 inches and 0.1920 inches first

Overall Length:

Between 0.6670 inches and 0.6770 inches

Body Outside Diameter:

Between 2.5014 inches and 2.5020 inches

Body Inside Diameter:

Between 2.2420 inches and 2.2470 inches

Flange Outside Diameter:

2.8200 inches

Flange Width:

Between 0.0570 inches and 0.0620 inches

Lubricant Accommodation Style:

Grooved circular

Corner Shape:

Square outside right corner

Hardness Rating:

39.0 rockwell c and 42.0 rockwell c

Surface Finish:

63.0 microinches outside diameter surface of body

Antirotation/lubrication Type And Quantity:

2 hole

Surface Groove Location And Quantity:

1 external and 1 internal

Material:

Steel comp 4340

Material Specification:

Mil-s-5000 military specification single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Mil-c-8837, type 2, cl 1 military specification single treatment response

Style Designator:

Solid, external flange one end

Test Data Document:

81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A045a0

Mil-std (military Standard):

Mil-s-5000 spec.