

View Online at <https://aerobasegroup.com/nsn/3120-00-020-6661>

Thread Class:

3b

Thread Direction:

Right-hand

Shank Style:

Internally threaded w/hexagon end and inspection hole

Overall Length:

Between 2.8250 inches and 2.8750 inches

Bore Diameter:

Between 0.6870 inches and 0.6875 inches

Outer Member Outside Diameter:

Between 1.4900 inches and 1.5100 inches

Bore Center To Shank End Distance:

Between 2.0800 inches and 2.1200 inches

Outer Member Width:

Between 0.5570 inches and 0.5670 inches

Inner Member Width:

Between 0.6650 inches and 0.6750 inches

Shank Thread Length:

1.1000 inches

Inspection Hole Center To End Distance:

0.5000 inches

Shank Width Across Wrench Flats:

0.6250 inches

Static Radial Load Rating:

10000 pounds

Thread Diameter:

0.438 inches

Features Provided:

Flush lubrication fitting

Thready Qty Per Inch (tpi):

20

Hardness Rating:

59.0 rockwell c inner member and 63.0 rockwell c inner member

Material:

Steel comp e52100 inner member

Material Specification:

Sae assn standard single material response rod end body

Surface Treatment:

Cadmium rod end body

Style Designator:

Ball type

Thread Series Designator:

Unf

Specification Data:

76823-14-74901b professional/industrial association specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A045a0