NSN 3120-00-062-1343

Sleeve Bushing - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3120-00-062-1343 **Hole Diameter:** 0.0600 inches first **Overall Length:** Between 0.3590 inches and 0.3690 inches **Body Outside Diameter:** Between 0.6263 inches and 0.6270 inches **Body Inside Diameter:** Between 0.4900 inches and 0.4920 inches Flange Outside Diameter: 0.8800 inches Flange Width: Between 0.0590 inches and 0.0600 inches **Lubricant Accommodation Style:** Grooved circular **Corner Shape:** Square outside right corner Hardness Rating: 34.0 rockwell c and 39.0 rockwell c **Antirotation/lubrication Type And Quantity:** 2 hole **Surface Groove Location And Quantity:** 2 internal Material: Steel comp 4130 **Material Specification:** Mil-s-6758 military specification single material response Style Designator: Solid, external flange one end **Test Data Document:** 81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a **Unit Of Measure: Demilitarization:** No Fiig:

Mil-s-6758 spec.

Mil-std (military Standard):

A045a0