

View Online at <https://aerobasegroup.com/nsn/3120-00-082-3382>

**Cross Sectional Shape:**

Shouldered

**Flange Thickness:**

Between 0.2000 inches and 0.2050 inches

**Outside Diameter:**

Between 1.5615 inches and 1.5625 inches

**Center Hole Shape:**

Round

**Diameter:**

Between 0.6700 inches and 0.7000 inches

**Overall Thickness:**

0.3950 inches

**Shank Outside Diameter:**

Between 1.3500 inches and 1.3700 inches

**Corner Shape:**

Square all corners

**Hardness Rating:**

43.0 rockwell c and 48.0 rockwell c

**Surface Finish:**

63.0 microinches left side

**Special Features:**

Left end surface of flange counterbore 1.4680 in. Min, 1.4690 in. Maximum dia, inside diameter of bore counter snk 0.8700 in. Min, 0.8900 in.

Maximum dia, by 118 min, 122 maximum degrees

**Material:**

Steel comp e4340

**Material Specification:**

Mil-s-5000 military specification single material response

**Surface Condition:**

Ground

**Surface Treatment:**

Cadmium and chromate

**Surface Treatment Specification:**

Qq-p-416, type 2, class 2 federal specification single treatment response

**Style Designator:**

Round

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A045a0

**Mil-std (military Standard):**

Mil-s-5000 spec.