

View Online at <https://aerobasegroup.com/nsn/3120-00-082-3382>

Cross Sectional Shape:

Shouldered

Flange Thickness:

Between 0.2000 inches and 0.2050 inches

Outside Diameter:

Between 1.5615 inches and 1.5625 inches

Center Hole Shape:

Round

Diameter:

Between 0.6700 inches and 0.7000 inches

Overall Thickness:

0.3950 inches

Shank Outside Diameter:

Between 1.3500 inches and 1.3700 inches

Corner Shape:

Square all corners

Hardness Rating:

43.0 rockwell c and 48.0 rockwell c

Surface Finish:

63.0 microinches left side

Special Features:

Left end surface of flange counterbore 1.4680 in. Min, 1.4690 in. Maximum dia, inside diameter of bore counter snk 0.8700 in. Min, 0.8900 in.

Maximum dia, by 118 min, 122 maximum degrees

Material:

Steel comp e4340

Material Specification:

Mil-s-5000 military specification single material response

Surface Condition:

Ground

Surface Treatment:

Cadmium and chromate

Surface Treatment Specification:

Qq-p-416, type 2, class 2 federal specification single treatment response

Style Designator:

Round

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A045a0

Mil-std (military Standard):

Mil-s-5000 spec.