

View Online at <https://aerobasegroup.com/nsn/3120-00-102-3707>

**Slot Width:**

0.2500 inches second

**Slot Length:**

0.6000 inches second

**Overall Length:**

5.7500 inches

**Body Inside Diameter:**

2.7000 inches

**Flange Outside Diameter:**

3.7490 inches

**Flange Width:**

0.3050 inches

**Right Internal Flange Hole Diameter:**

2.6870 inches

**Right Internal Flange Width:**

0.5000 inches

**End To Flange Distance:**

1.4550 inches

**Corner Shape:**

Square outside right corner

**Hardness Rating:**

26.0 rockwell c and 35.0 rockwell c

**Surface Finish:**

63.0 microinches flange

**Antirotaion/lubrication Type And Quantity:**

2 slot

**Left End Body Diameter:**

3.0580 inches

**Right End Body Diameter:**

3.0000 inches

**Special Features:**

Eccentric bore 1 degrees 7 min starting 1.6075 in. From left end; 2 groups 2holes 0.138-40unf-2b 0.187 in. From left end 0.312 in. C-to-c 90 degrees from slots

**Material:**

Steel comp 416

**Material Specification:**

Astm a582 type 416 cd a assn standard single material response

**Surface Treatment:**

Enamel lusterless left end surface of body and flange

**Surface Treatment Specification:**

Mil-std-171 fn20.21 military standard single treatment response left end surface of body and flange

**Style Designator:**

Solid, external flange, internal flange one end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A045a0

**Mil-std (military Standard):**

Mil-std-171 spec.