## NSN 3120-00-133-6611

Sleeve Bushing - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3120-00-133-6611
Overall Length:
Between 0.2930 inches and 0.3030 inches
Body Outside Diameter:
Between 0.3756 inches and 0.3761 inches
Body Inside Diameter:
Between 0.2380 inches and 0.2430 inches
Flange Outside Diameter:
Between 0.4900 inches and 0.5100 inches
Flange Width:
Between 0.0880 inches and 0.0930 inches
Corner Shape:
Undercut left flange body corner
Hardness Rating:
26.0 rockwell c and 33.0 rockwell c
Surface Finish:
125.0 microinches intermediate layer
Material:
Steel comp 4130
Material Specification:
Mil-s-6758 military specification single material response
Surface Treatment:
Cadmium and chromate or cadmium and phosphate
Surface Treatment Specification:
Qq-p-416, ty2 or 3 cl2 federal specification single treatment response
Style Designator:
Solid, external flange one end
Test Data Document:
81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A045a0

Mil-std (military Standard):

Mil-s-6758 spec.