NSN 3120-00-173-7681

Sleeve Bushing - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3120-00-173-7681

Overall Length: 1.5000 inches Body Outside Diameter: Between 2.2090 inches and 2.2100 inches Body Inside Diameter: 2.0000 inches Corner Shape: Square inside left corner Surface Finish: 90.0 microinches intermediate layer Material: Aluminum alloy 2024 Material: Aluminum alloy 2024 Material Specification: Qq-a-225/6 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 millitary specification single treatment response Style Designator: Solid, plain, no outside flanges Test Data Document: Ba1349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
Between 2.2090 inches and 2.2100 inches Body Inside Diameter: 2.0000 inches Corner Shape: Square inside left corner Surface Finish: 90.0 microinches intermediate layer Material: Altuminum alloy 2024 Material Specification: Qq-a-225/6 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Solid, plain, no outside flanges Test Data Document: 81349-mil-i-8866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
Body Inside Diameter: 2.0000 inches Corner Shape: Square inside left corner Surface Finish: 90.0 microinches intermediate layer Material: Aluminum alloy 2024 Material Specification: Qq-a-225/6 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Solid, plain, no outside flanges Test Data Document: 81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
2.0000 inches Corner Shape: Square inside left corner Surface Finish: 90.0 microinches intermediate layer Material: Aluminum alloy 2024 Material Specification: Qq-a-225/6 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Solid, plain, no outside flanges Test Data Document: 81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format, excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Shelf Life: N/a Unit Of Measure:
Corner Shape: Square inside left corner Surface Finish: 90.0 microinches intermediate layer Material: Aluminum alloy 2024 Material Specification: Qq-a-225/6 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Solid, plain, no outside flanges Test Data Document: 81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
Square inside left corner Surface Finish: 90.0 microinches intermediate layer Material: Aluminum alloy 2024 Material Specification: Qq-a-225/6 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Solid, plain, no outside flanges Test Data Document: 81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
Surface Finish: 90.0 microinches intermediate layer Material: Aluminum alloy 2024 Material Specification: Qq-a-225/6 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Solid, plain, no outside flanges Test Data Document: 81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
Material: Aluminum alloy 2024 Material Specification: Qq-a-225/6 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Solid, plain, no outside flanges Test Data Document: 81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
Material: Aluminum alloy 2024 Material Specification: Qq-a-225/6 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Solid, plain, no outside flanges Test Data Document: 81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
Aluminum alloy 2024 Material Specification: Qq-a-225/6 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Solid, plain, no outside flanges Test Data Document: 81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
Material Specification: Qq-a-225/6 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Solid, plain, no outside flanges Test Data Document: 81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
Qq-a-225/6 federal specification single material response Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Solid, plain, no outside flanges Test Data Document: 81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
Surface Treatment: Anodize Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Solid, plain, no outside flanges Test Data Document: 81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Solid, plain, no outside flanges Test Data Document: 81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
Surface Treatment Specification: Mil-a-8625 military specification single treatment response Style Designator: Solid, plain, no outside flanges Test Data Document: 81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
Mil-a-8625 military specification single treatment response Style Designator: Solid, plain, no outside flanges Test Data Document: 81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
Style Designator: Solid, plain, no outside flanges Test Data Document: 81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
Solid, plain, no outside flanges Test Data Document: 81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
Test Data Document: 81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a Unit Of Measure:
Shelf Life: N/a Unit Of Measure:
N/a Unit Of Measure:
Unit Of Measure:
Demilitarization:
No
Filig:
A045a0
Mil-std (military Standard):
Mil-a-8625 spec.