NSN 3120-00-230-1976

Sleeve Bearing - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3120-00-230-1976

Overa	II I	end	th.
O v Cı a		.ciiv	4 LI I .

Between 0.3020 inches and 0.3170 inches

Body Outside Diameter:

Between 0.6260 inches and 0.6265 inches

Body Inside Diameter:

Between 0.5000 inches and 0.5010 inches

Flange Outside Diameter:

Between 0.7400 inches and 0.7600 inches

Flange Width:

Between 0.0570 inches and 0.0620 inches

Corner Shape:

Undercut left flange body corner

Surface Finish:

63.0 microinches outside diameter surface of body

Special Features:

Plastic polytetrafluoroethylene /liner bonded to left end surface of body and flange

Material:

Plastic polytetrafluoroethylene inner layer

Material Specification:

Qq-a-200/3, alloy 2024, t4 federal standard single material response outer layer

Surface Treatment:

Anodize or chromate right end surface of left flange

Surface Treatment Specification:

Mil-a-8625 military specification 1st treatment response and mil-c-5541 military specification 2nd treatment response right end surface of left flange

Style Designator:

Solid, external flange one end

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A045a0

Mil-std (military Standard):

Mil-a-8625 spec.