NSN 3120-00-303-6383

Sleeve Bearing - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3120-00-303-6383

		_					
Hol	_	11	12	m	Δi	-Δ	r-
IIV		$\mathbf{\nu}$	ıa		CI	. 🕶	

0.0810 inches first and 0.0850 inches first and 0.1240 inches first and 3.5100 inches first

Overall Length:

Between 3.4900 inches and 3.5100 inches

Body Inside Diameter:

Between 2.1350 inches and 2.1380 inches

Flange Outside Diameter:

Between 3.4900 inches and 3.5100 inches

Flange Width:

Between 0.0930 inches and 0.0950 inches

End To Flange Distance:

Between 0.0800 inches and 0.1000 inches

Corner Shape:

Square all corners

Features Provided:

Casehardened

Hardness Rating:

89.0 rockwell superficial 15-n outside diameter surface of body and 92.0 rockwell superficial 15-n outside diameter surface of body

Surface Finish:

16.0 microinches outside diameter surface of body

Antirotation/lubrication Type And Quantity:

3 hole

Left End Body Diameter:

Between 2.4400 inches and 2.4410 inches

Right End Body Diameter:

Between 2.4400 inches and 2.4410 inches

Special Features:

Four 0.249 by 0.255 in. And six 0.220 by 0.225 in. Holes in flange

Material:

Steel

Surface Treatment:

Tin alloy uns I13890 inside diameter surface of body

Style Designator:

Solid, external flange

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A045a0