

View Online at <https://aerobasegroup.com/nsn/3120-00-325-6173>

**Hole Diameter:**

0.2400 inches and 0.2600 inches first

**Overall Length:**

Between 1.4050 inches and 1.4070 inches

**Body Outside Diameter:**

1.9020 inches

**Body Inside Diameter:**

Between 1.7514 inches and 1.7524 inches

**Lubrication Material:**

Lubricating oil

**Left Flange Outside Diameter:**

Between 2.4370 inches and 2.4970 inches

**Right Flange Outside Diameter:**

Between 2.4370 inches and 2.4970 inches

**Left Flange Width:**

Between 0.0810 inches and 0.0830 inches

**Right Flange Width:**

Between 0.0810 inches and 0.0830 inches

**Distance From Centerline Of Opening To Left End Of Bearing:**

0.7040 inches and 0.8240 inches first

**Lubricant Accommodation Style:**

Grooved circular

**Locking Lug Height:**

Between 0.0450 inches and 0.0550 inches

**Locking Lug Length:**

Between 0.1900 inches and 0.2200 inches

**Locking Lug Width:**

Between 0.1750 inches and 0.1800 inches

**Corner Shape:**

Square right flange outside left corner

**Antirotaion/lubrication Type And Quantity:**

2 hole

**Hole Spacing Angle:**

68.5 degrees

**Surface Groove Location And Quantity:**

1 internal

**Distance From Lug End To End Of Bearing:**

Between 0.2640 inches and 0.2710 inches

**Material:**

Steel comp 1010 outer layer

**Material Specification:**

Sae 49 assn standard single material response inner layer

**Surface Treatment:**

Tin

**Style Designator:**

Half sleeve, external flanges both ends

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A045a0