

View Online at <https://aerobasegroup.com/nsn/3120-00-325-6196>

Hole Diameter:

0.3020 inches and 0.3220 inches first

Overall Length:

Between 2.9990 inches and 3.0010 inches

Body Outside Diameter:

Between 3.9930 inches and 4.0130 inches

Body Inside Diameter:

Between 3.7424 inches and 3.7634 inches

Lubrication Material:

Lubricating oil

Left Flange Outside Diameter:

Between 4.9800 inches and 5.0200 inches

Right Flange Outside Diameter:

Between 4.9800 inches and 5.0200 inches

Left Flange Width:

Between 0.1310 inches and 0.1330 inches

Right Flange Width:

Between 0.1310 inches and 0.1330 inches

Distance From Centerline Of Opening To Left End Of Bearing:

1.4890 inches and 1.5110 inches first

Lubricant Accommodation Style:

Grooved circular

Locking Lug Height:

Between 0.0450 inches and 0.0550 inches

Locking Lug Length:

Between 0.1990 inches and 0.2200 inches

Locking Lug Width:

Between 0.2380 inches and 0.2430 inches

Corner Shape:

Square right flange outside left corner

Antirotation/lubrication Type And Quantity:

2 hole

Hole Spacing Angle:

26.0 degrees

Surface Groove Location And Quantity:

1 internal

Distance From Lug End To End Of Bearing:

Between 1.1110 inches and 1.1205 inches

Material:

Tin alloy or lead alloy inner layer

Surface Treatment:

Tin

Style Designator:

Half sleeve, external flanges both ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A045a0