## NSN 3120-00-570-3203

Rod End Plain Bearing - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3120-00-570-3203 **Thread Class: Thread Direction:** Right-hand **Shank Style:** Internally threaded w/bead and wrench flats and inspection hole **Overall Length:** 1.3750 inches **Bore Diameter:** Between 0.1895 inches and 0.1915 inches **Outer Member Outside Diameter:** Between 0.6150 inches and 0.6350 inches **Bore Center To Shank End Distance:** Between 1.0520 inches and 1.0720 inches **Outer Member Width:** Between 0.2450 inches and 0.2550 inches **Inner Member Width:** Between 0.3070 inches and 0.3120 inches **Shank Thread Length:** 0.5620 inches **Inspection Hole Center To End Distance:** 0.3120 inches **Shank Width Across Wrench Flats:** 0.3120 inches **Static Radial Load Rating:** 1872 pounds **Thread Diameter:** 0.190 inches Thready Qty Per Inch (tpi): 32 **Special Features:** Inspect magnetic particle per mil-i-6868 or penetrant per mil-i-6866 as applicable identify on shank Material: Stainless steel race insert or steel comp e52100 race insert **Material Specification:** Sae j404 assn standard single material response inner member **Surface Treatment:** Cadmium rod end body **Style Designator:** Ball type

Unf

**Thread Series Designator:** 

## NSN 3120-00-570-3203

Rod End Plain Bearing - Page 2 of 2



	Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A045a0