

View Online at <https://aerobasegroup.com/nsn/3120-00-661-7482>

Thread Class:

2b

Thread Direction:

Right-hand

Shank Style:

Internally threaded w/hexagon end and inspection hole

Overall Length:

Between 1.7400 inches and 1.7600 inches

Bore Diameter:

Between 0.1895 inches and 0.1900 inches

Outer Member Outside Diameter:

Between 0.7400 inches and 0.7600 inches

Bore Center To Shank End Distance:

Between 1.3650 inches and 1.3850 inches

Outer Member Width:

Between 0.3230 inches and 0.3330 inches

Inner Member Width:

Between 0.4320 inches and 0.4370 inches

Shank Thread Length:

Between 0.7188 inches and 0.8125 inches

Inspection Hole Center To End Distance:

Between 0.3070 inches and 0.3170 inches

Shank Width Across Wrench Flats:

Between 0.4580 inches and 0.4780 inches

Thread Diameter:

0.250 inches

Thready Qty Per Inch (tpi):

28

Lubrication Feature:

Groove external inner member

Special Features:

0.0100 in. By 45.0 dea chamfer both ends of bore, 10.0 degrees anfular movment either direction

Material:

Steel rod end body

Material Specification:

66 federal standard single material response inner member

Surface Treatment:

Cadmium rod end body

Style Designator:

Ball type

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A045a0