

View Online at <https://aerobasegroup.com/nsn/3120-00-662-9321>

Thread Class:

3a

Thread Direction:

Left-hand

Shank Style:

Externally threaded

Overall Length:

Between 1.4270 inches and 1.4470 inches

Bore Diameter:

Between 0.1895 inches and 0.1915 inches

Outer Member Outside Diameter:

Between 0.7400 inches and 0.7600 inches

Bore Center To Shank End Distance:

Between 1.0520 inches and 1.0720 inches

Outer Member Width:

Between 0.3230 inches and 0.3330 inches

Inner Member Width:

Between 0.4320 inches and 0.4370 inches

Shank Thread Length:

Between 0.4060 inches and 0.4990 inches

Static Radial Load Rating:

2848 pounds

Thread Diameter:

0.250 inches

Thready Qty Per Inch (tpi):

28

Lubrication Feature:

Groove internal inner member

Material:

Steel rod end body

Material Specification:

66 federal standard single material response inner member

Surface Treatment:

Cadmium rod end body

Style Designator:

Ball type

Thread Series Designator:

Unf

Reference Number Differentiating Characteristics:

As differentiated by letter m on shank for aircraft use

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A045a0