

View Online at <https://aerobasegroup.com/nsn/3120-00-866-1099>

Hole Diameter:

0.0880 inches first and 0.1080 inches first

Overall Length:

Between 5.7900 inches and 5.8000 inches

Body Outside Diameter:

Between 0.7460 inches and 0.7480 inches

Body Inside Diameter:

Between 0.5620 inches and 0.5630 inches

Lubricant Accommodation Style:

Grooved circular

Corner Shape:

Square all corners

Hardness Rating:

34.0 rockwell c and 38.0 rockwell c

Surface Finish:

32.0 microinches outside diameter surface of body

Antirotation/lubrication Type And Quantity:

8 hole

Special Features:

4 holes equally spaced in each groove

Material:

Steel comp e4340

Material Specification:

Mil-s-5000, cond c military specification single material response

Surface Treatment:

Cadmium and chromate or cadmium and phosphate

Surface Treatment Specification:

Qq-p-416 type 2 class 2 or type 3 federal specification single treatment response

Style Designator:

17c solid, plain, no outside flanges

Test Data Document:

81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A045a0

Mil-std (military Standard):

Mil-s-5000 spec.