

View Online at <https://aerobasegroup.com/nsn/3120-00-867-8750>

**Hole Diameter:**

0.2400 inches and 0.2600 inches first

**Overall Length:**

Between 1.1905 inches and 1.1925 inches

**Body Outside Diameter:**

Between 1.7545 inches and 1.7560 inches

**Body Inside Diameter:**

Between 1.6275 inches and 1.6282 inches

**Lubrication Material:**

Lubricating oil

**End Application:**

28058725972

**Left Flange Outside Diameter:**

Between 2.3140 inches and 2.3740 inches

**Right Flange Outside Diameter:**

Between 2.3140 inches and 2.3740 inches

**Left Flange Width:**

Between 0.0810 inches and 0.0830 inches

**Right Flange Width:**

Between 0.0810 inches and 0.0830 inches

**Lubricant Accommodation Style:**

Grooved circular

**Locking Lug Height:**

Between 0.0450 inches and 0.0550 inches

**Locking Lug Length:**

Between 0.1900 inches and 0.2200 inches

**Locking Lug Width:**

Between 0.1750 inches and 0.1800 inches

**Corner Shape:**

Square right flange outside left corner

**Antirootation/lubrication Type And Quantity:**

1 hole

**Hole Spacing Angle:**

28.0 degrees

**Surface Groove Location And Quantity:**

1 internal

**Distance From Lug End To End Of Bearing:**

Between 0.3535 inches and 0.3630 inches

**Material:**

Steel outer layer

**Material Specification:**

Ms13826-1, 96906 mfr ref 1st material response inner layer

**Surface Treatment:**

Tin

**Surface Treatment Specification:**

Ms13826-1, 96906 mfr ref single treatment response

**Style Designator:**

18d half sleeve, external flanges both ends

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A045a0