NSN 3120-00-891-8436

Sleeve Bushing - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3120-00-891-8436

Hole Diameter:

0.0460 inches first

Overall Length:

Between 0.4570 inches and 0.4670 inches

Body Outside Diameter:

Between 0.6234 inches and 0.6240 inches

Body Inside Diameter:

Between 0.5005 inches and 0.5007 inches

Flange Outside Diameter:

Between 0.7400 inches and 0.7600 inches

Flange Width:

Between 0.0600 inches and 0.0640 inches

Lubricant Accommodation Style:

Grooved circular

Corner Shape:

Square outside right corner

Hardness Rating:

32.0 rockwell c and 38.0 rockwell c

Surface Finish:

16.0 microinches outside diameter surface of body

Antirotation/lubrication Type And Quantity:

2 hole

Surface Groove Location And Quantity:

1 external

Special Features:

Id and od concentric within 0.0010in. Total indicator reading

Material:

Steel comp 416

Material Specification:

Astm a582 assn standard single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Hrps161 81873 mfr ref single treatment response

Style Designator:

22c solid, external flange one end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 3120-00-891-8436 Sleeve Bushing - Page 2 of 2



Fiig:

A045a0