NSN 3120-00-902-5528

Sleeve Bearing Half - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3120-00-902-5528

Hole Diameter:

0.2600 inches second

Overall Length:

Between 1.4950 inches and 1.5050 inches

Body Outside Diameter:

3.5030 inches

Body Inside Diameter:

Between 3.2496 inches and 3.2506 inches

Lubrication Material:

Lubricating oil

Distance From Centerline Of Opening To Left End Of Bearing:

0.7600 inches second

Lubricant Accommodation Style:

Grooved circular

Locking Lug Height:

Between 0.0450 inches and 0.0550 inches

Locking Lug Length:

Between 0.1900 inches and 0.2200 inches

Locking Lug Width:

Between 0.2380 inches and 0.2430 inches

Corner Shape:

Square all corners

Antirotation/lubrication Type And Quantity:

3 hole

Hole Spacing Angle:

Between 49.0 degrees and 56.0 degrees

Surface Groove Location And Quantity:

1 internal

Distance From Lug End To End Of Bearing:

Between 0.3090 inches and 0.3170 inches

Special Features:

First hole 5/16 in. From parting line

Material:

Steel comp 1010 outer layer or steel comp 1015 outer layer

Material Specification:

Sae 1010 assn standard 1st material response outer layer or 1015 assn standard 2nd material response outer layer

Surface Treatment:

Tin

Style Designator:

17d half sleeve, plain, no outside flanges

Shelf Life:

N/a

NSN 3120-00-902-5528

Sleeve Bearing Half - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A045a0