## NSN 3120-00-908-5317

Spherical Plain Bearing - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3120-00-908-5317

Overall Length:  Between 0.8300 inches and 0.8500 inches  Body Inside Diameter:  Between 0.4677 inches and 0.4682 inches  Spherical Body Diameter:  Between 0.7518 inches and 0.7522 inches  Corner Shape:  Square inside left corner  Surface Finish:  32.0 microinches spherical surface  Material:  Steel comp 630 outer layer  Style Designator:  Solid  Test Data Document:  81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification mat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain	
Between 0.4677 inches and 0.4682 inches  Spherical Body Diameter:  Between 0.7518 inches and 0.7522 inches  Corner Shape:  Square inside left corner  Surface Finish:  32.0 microinches spherical surface  Material:  Steel comp 630 outer layer  Style Designator:  Solid  Test Data Document:  81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specificat format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain	
Between 0.4677 inches and 0.4682 inches  Spherical Body Diameter:  Between 0.7518 inches and 0.7522 inches  Corner Shape:  Square inside left corner  Surface Finish:  32.0 microinches spherical surface  Material:  Steel comp 630 outer layer  Style Designator:  Solid  Test Data Document:  81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain	
Spherical Body Diameter:  Between 0.7518 inches and 0.7522 inches  Corner Shape:  Square inside left corner  Surface Finish: 32.0 microinches spherical surface  Material:  Steel comp 630 outer layer  Style Designator:  Solid  Test Data Document:  81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification (material) includes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain	
Between 0.7518 inches and 0.7522 inches  Corner Shape:  Square inside left corner  Surface Finish:  32.0 microinches spherical surface  Material:  Steel comp 630 outer layer  Style Designator:  Solid  Test Data Document:  81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification type data on certain	
Corner Shape: Square inside left corner  Surface Finish: 32.0 microinches spherical surface  Material: Steel comp 630 outer layer  Style Designator: Solid  Test Data Document: 81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain	
Square inside left corner  Surface Finish:  32.0 microinches spherical surface  Material:  Steel comp 630 outer layer  Style Designator:  Solid  Test Data Document:  81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain	
Surface Finish:  32.0 microinches spherical surface  Material:  Steel comp 630 outer layer  Style Designator:  Solid  Test Data Document:  81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain	
32.0 microinches spherical surface  Material: Steel comp 630 outer layer  Style Designator: Solid  Test Data Document: 81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain	
Material: Steel comp 630 outer layer  Style Designator: Solid  Test Data Document: 81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification (includes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain	
Style Designator: Solid  Test Data Document: 81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain	
Style Designator: Solid Test Data Document: 81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification (excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain	
Solid  Test Data Document:  81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification (includes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain	
Test Data Document: 81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification (format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain	
81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain	
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain	
	ıtior
	1
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A045a0	