NSN 3120-00-947-4215

Rod End Plain Bearing - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3120-00-947-4215

| Thread Class: |
|---|
| 3a |
| Thread Direction: |
| Right-hand |
| Shank Style: |
| Externally threaded |
| Overall Length: |
| 2.6250 inches |
| Bore Diameter: |
| Between 0.2495 inches and 0.2500 inches |
| Outer Member Outside Diameter: |
| 1.0000 inches |
| Bore Center To Shank End Distance: |
| 2.1250 inches |
| Outer Member Width: |
| Between 0.2450 inches and 0.2550 inches |
| Inner Member Width: |
| Between 0.3410 inches and 0.3430 inches |
| Shank Thread Length: |
| Between 1.3590 inches and 1.3900 inches |
| Static Radial Load Rating: |
| 7650 pounds |
| Thread Diameter: |
| 0.375 inches |
| Thready Qty Per Inch (tpi): |
| 24 |
| Special Features: |
| Entire thd Ig slottedlongitudinally 0.0930 in min, 0.0980 in maximum w by 0.0618in min, 0.0640 in maximum deep |
| Material: |
| Steel rod end body |
| Surface Treatment: |
| Cadmium rod end body |
| Style Designator: |
| Ball type |
| Test Data Document: |
| 81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). |
| Thread Series Designator: |
| Unf |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

NSN 3120-00-947-4215

Rod End Plain Bearing - Page 2 of 2

Demilitarization:

No

Fiig:

A045a0

