

View Online at <https://aerobasegroup.com/nsn/3120-00-993-5179>

Hole Diameter:

0.1250 inches first

Overall Length:

Between 1.1900 inches and 1.2500 inches

Body Outside Diameter:

Between 4.9670 inches and 4.9700 inches

Body Inside Diameter:

4.2512 inches

Lubricant Accommodation Style:

Grooved circular and grooved circular

Corner Shape:

Square all corners

Surface Finish:

63.0 microinches left end surface of body

Antirotation/lubrication Type And Quantity:

8 hole

Surface Groove Location And Quantity:

2 external and 2 internal

Special Features:

Lubricating holes equally spaced located and centered on groove, od on left end reduced to 4.6140 in. Min, 4.6160 in. Maximum dia, 0.1850 in. Min, 0.1900 in. Maximum lg of reduced dia

Material:

Aluminum alloy

Material Specification:

B750-t5, 01634/71366 assn standard single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625 military specification single treatment response

Style Designator:

17c solid, plain, no outside flanges

Test Data Document:

81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A045a0

Mil-std (military Standard):

Mil-a-8625 spec