

View Online at <https://aerobasegroup.com/nsn/3120-01-100-6338>

Thread Class:

3a

Thread Direction:

Left-hand

Shank Style:

Externally threaded

Overall Length:

Between 1.1770 inches and 1.1970 inches

Bore Diameter:

Between 0.1895 inches and 0.1900 inches

Outer Member Outside Diameter:

0.5620 inches

Bore Center To Shank End Distance:

Between 0.8960 inches and 0.9160 inches

Outer Member Width:

Between 0.1770 inches and 0.1970 inches

Inner Member Width:

Between 0.2450 inches and 0.2500 inches

Shank Thread Length:

Between 0.5010 inches and 0.5910 inches

Static Radial Load Rating:

200 pounds

Thread Diameter:

0.190 inches

Thready Qty Per Inch (tpi):

32

Hardness Rating:

62.0 rockwell c race insert

Special Features:

Metallic hardness rating and metallic hardness location replies are listed in sequence

Material:

Steel comp 630 rod end body

Material Specification:

Ams5643 assn standard 3rd material response rod end body

Surface Treatment:

Chromium inner member

Surface Treatment Specification:

Qq-c-320, class2 assn standard single treatment response inner member

Style Designator:

Ball type

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A045a0