# NSN 3120-01-101-0621

Sleeve Bushing - Page 1 of 1

AeroBase Group

View Online at https://aerobasegroup.com/nsn/3120-01-101-0621

#### Hole Diameter:

0.0940 inches first

#### **Overall Length:**

Between 0.1990 inches and 0.2000 inches

#### **Body Outside Diameter:**

Between 0.4820 inches and 0.4830 inches

#### **Body Inside Diameter:**

0.2500 inches

#### Flange Outside Diameter:

Between 0.6100 inches and 0.6110 inches

#### Flange Width:

Between 0.0450 inches and 0.0500 inches

Corner Shape:

Square outside right corner

#### Surface Finish:

63.0 microinches right end surface of body

### Antirotation/lubrication Type And Quantity:

6 hole

# Material:

Steel comp 301 or steel comp 302 or steel comp 302b or steel comp 303 or steel comp 303cu or steel comp 303f or steel uns s34720 or steel comp 303ma or steel comp 303pb or steel comp 303 plus x or steel comp 303se or steel comp 304 or steel comp 304l or steel comp 305 or steel comp 305 or steel comp 309 or steel comp 309s or steel comp 310 or steel comp 316 or steel comp 316l

#### **Material Specification:**

Astm a582 assn standard single material response

#### Surface Treatment:

Passivate

#### Surface Treatment Specification:

Mil-std 171 military standard single treatment response

#### Style Designator:

22c solid, external flange one end

# Shelf Life:

N/a

# Unit Of Measure:

--

#### Demilitarization:

No

# Fiig:

A045a0

## Mil-std (military Standard):

spec.