NSN 3120-01-131-2995

Sleeve Bearing - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3120-01-131-2995

Over	all I	en	ath:
~~~	an L	-611	иит.

Between 0.4225 inches and 0.4375 inches

**Body Outside Diameter:** 

Between 0.4381 inches and 0.4391 inches

**Body Inside Diameter:** 

Between 0.3130 inches and 0.3140 inches

Flange Outside Diameter:

Between 0.7920 inches and 0.8120 inches

Flange Width:

Between 0.0575 inches and 0.0625 inches

**Corner Shape:** 

Undercut left flange body corner

Surface Finish:

63.0 microinches outside diameter surface of body

**Special Features:** 

Plastic liner bonded to left end surface of flange

Material:

Plastic polytetrafluoroethylene inner layer

**Material Specification:** 

Qq-a-200/3, t851 federal specification single material response outer layer or qq-a-225/6, t8511 federal specification single material response outer layer

**Surface Treatment:** 

Anodize outer layer or chromate outer layer

## **Surface Treatment Specification:**

Mil-a-8625, type 1 military specification 1st treatment response outer layer or mil-a-8625, type 2 military specification 1st treatment response outer layer or mil-c-5541 military specification 2nd treatment response outer layer

Style Designator:

22c solid, external flange one end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A045a0

Mil-std (military Standard):

Mil-a-8625 spec.