

View Online at <https://aerobasegroup.com/nsn/3120-01-142-0687>

Thread Class:

3b

Thread Direction:

Left-hand

Shank Style:

Internally threaded w/hexagon end and inspection hole

Overall Length:

Between 2.3650 inches and 2.3850 inches

Bore Diameter:

Between 0.4370 inches and 0.4380 inches

Lubrication Material:

Grease

End Application:

1280-00-856-3836 antenna asq-38

Outer Member Outside Diameter:

Between 1.1150 inches and 1.1350 inches

Bore Center To Shank End Distance:

Between 1.8020 inches and 1.8220 inches

Outer Member Width:

Between 0.4320 inches and 0.4420 inches

Inner Member Width:

Between 0.5570 inches and 0.5620 inches

Shank End To Shoulder Length:

1.2490 inches

Shank Thread Length:

1.0620 inches

Inspection Hole Center To End Distance:

0.5310 inches

Shank Width Across Wrench Flats:

0.7500 inches

Thread Diameter:

0.625 inches

Thready Qty Per Inch (tpi):

20

Lubrication Feature:

Groove internal race insert

Special Features:

Radial play of ball shall not be greater than 0.001 inches. Shank must turn freely about the ball under its own weight

Material:

Steel rod end body

Surface Treatment:

Cadmium rod end body

Style Designator:

Shouldered ball type

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A045a0