## NSN 3120-01-193-2485

Sleeve Bushing - Page 1 of 1

Fiig: A045a0



View Online at https://aerobasegroup.com/nsn/3120-01-193-2485 **Hole Diameter:** 0.3750 inches second and 0.3820 inches second **Overall Length:** Between 2.4700 inches and 2.4900 inches **Body Outside Diameter:** Between 2.2870 inches and 2.2880 inches **Body Inside Diameter:** 2.0900 inches **Lubricant Accommodation Style:** Grooved circular **Corner Shape:** Square all corners **Antirotation/lubrication Type And Quantity:** 4 hole and 2 hole **Surface Groove Location And Quantity:** 1 external Material: Copper alloy 172 or copper alloy 173 **Material Specification:** Qq-c-530, cond at federal specification single material response **Surface Treatment:** Cadmium **Surface Treatment Specification:** Ps13101, type 2, cl 2 mfr ref single treatment response **Style Designator:** 17c solid, plain, no outside flanges **Test Data Document:** 81349-ps21202, cl a specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a **Unit Of Measure: Demilitarization:** No