

View Online at <https://aerobasegroup.com/nsn/3120-01-225-5294>

Overall Length:

Between 0.9550 inches and 0.9650 inches

Body Outside Diameter:

Between 0.5007 inches and 0.5012 inches

Body Inside Diameter:

Between 0.3755 inches and 0.3765 inches

End Application:

1560-01-034-4612 hook, uplock, main landing gear

Corner Shape:

Square inside left corner

Surface Finish:

63.0 microinches outside diameter surface of body

Functional Description:

Self-lubricating high capacity/-65.0 degrees f to 325.0 degrees f

Material:

Plastic tetrafluoroethylene race liner

Material Specification:

Qq-a-225/6, t851 federal specification single material response or qq-a-200/3, t8511 federal specification single material response

Reference Data And Literature:

Mil-b-81934/1 and Im 12I395

Surface Treatment:

Anodize or chromate

Surface Treatment Specification:

Mil-a-8625 military specification 1st treatment response or mil-c-5541, class 1a military specification 2nd treatment response

Style Designator:

Solid, plain, no outside flanges

Test Data Document:

81349-mil-b-81934 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81755-c7504 manufacturers specification control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A045a0

Mil-std (military Standard):

Mil-b-81934 spec.