## NSN 3120-01-234-6422

Sleeve Bearing - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3120-01-234-6422

Overa	11 1	end	ath.
O v Cı a		.611	uui.

Between 0.2975 inches and 0.3125 inches

**Body Outside Diameter:** 

Between 1.0640 inches and 1.0650 inches

**Body Inside Diameter:** 

Between 0.8755 inches and 0.8765 inches

Flange Outside Diameter:

Between 1.6050 inches and 1.6250 inches

Flange Width:

Between 0.0575 inches and 0.0625 inches

**Corner Shape:** 

Undercut left flange body corner

Surface Finish:

63.0 microinches outside diameter surface of body

**Special Features:** 

Liner bonded to face of flange

Material:

Plastic polytetrafluoroethylene inner layer

**Material Specification:** 

Qq-a-200/3, t851 federal specification single material response outer layer or qq-a-225/6, t8511 federal specification single material response outer layer

## **Surface Treatment:**

Anodize right end surface of body or chromate right end surface of body

## **Surface Treatment Specification:**

Mil-a-8625, type 1 or type 2 military specification 1st treatment response right end surface of left flange or mil-c-5541 military specification 2nd treatment response right end surface of left flange

Style Designator:

22c solid, external flange one end

**Specification Data:** 

81349-mil-b-81934/2 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

**Demilitarization:** 

No

Fiig:

A045a0

Mil-std (military Standard):

Mil-a-8625 spec.