

View Online at <https://aerobasegroup.com/nsn/3120-01-310-3695>

**Thread Direction:**

Left-hand

**Shank Style:**

Internally threaded w/hexagon end and inspection hole

**Bore Diameter:**

Between 0.2495 inches and 0.2515 inches

**Outer Member Outside Diameter:**

Between 0.7400 inches and 0.7600 inches

**Bore Center To Shank End Distance:**

Between 1.3020 inches and 1.3220 inches

**Outer Member Width:**

Between 0.2760 inches and 0.2860 inches

**Inner Member Width:**

Between 0.3700 inches and 0.3750 inches

**Shank Thread Length:**

0.7500 inches

**Inspection Hole Center To End Distance:**

Between 0.3070 inches and 0.3170 inches

**Shank Width Across Wrench Flats:**

Between 0.3650 inches and 0.3850 inches

**Static Radial Load Rating:**

1550 pounds

**Thread Diameter:**

0.250 inches

**Lubrication Feature:**

Self-lubricating liner inner member

**Material:**

Steel

**Surface Treatment:**

Cadmium external outer member

**Style Designator:**

Ball type

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A045a0