## NSN 3120-01-316-6303

Fiig: A045a0



Sleeve Bushing - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/3120-01-316-6303 **Hole Diameter:** 0.0880 inches first and 0.0930 inches first **Overall Length:** Between 0.2650 inches and 0.2750 inches **Body Outside Diameter:** 0.8300 inches **Body Inside Diameter:** Between 0.6185 inches and 0.6200 inches Flange Outside Diameter: 0.9400 inches Flange Width: 0.1000 inches **Lubricant Accommodation Style:** Grooved open both ends **Corner Shape:** Square all corners **Surface Finish:** 63.0 microinches left end surface of body and flange **Antirotation/lubrication Type And Quantity:** 4 hole **Surface Groove Location And Quantity:** 1 external and 1 internal **Special Features:** This repair bushing will replace the original bushing, p/n's 2006404-161 and 2006404-185 (3120-01-057-3210) during repair; o.D. Groove width is 0.030 in.; half width is 0.015 in.; corner radius is 0.005 in. Min. And 0.015 in. Max.; item is used on landing gear of the f-16 acft Material: Copper alloy **Material Specification:** Ams 4640 assn standard single material response **Style Designator:** 22c solid, external flange one end Shelf Life: N/a **Unit Of Measure: Demilitarization:** No