NSN 3120-01-331-1348

Sleeve Bushing - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3120-01-331-1348

Overall Length: Between 0.2450 inches and 0.2550 inches Body Outside Diameter: Between 0.2696 inches and 0.2706 inches Body Inside Diameter: Between 0.2530 inches and 0.2545 inches Flange Outside Diameter: Between 0.4980 inches and 0.5080 inches Flange Width: 0.0580 inches Corner Shape: Square all corners Material: Iron alloy 660 Material Specification: Arms 5731 assn standard single material response or ams 5737 assn standard single material response Surface Treatment: Plastic epoxy and plastic polyamide Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fitig: A045a0 Mil-p-23377 spec.	
Between 0.2696 inches and 0.2706 inches Body Inside Diameter: Between 0.2530 inches and 0.2545 inches Flange Outside Diameter: Between 0.4980 inches and 0.5080 inches Flange Width: 0.0580 inches Corner Shape: Square all corners Material: Iron alloy 660 Material Specification: Ams 5731 assn standard single material response or ams 5737 assn standard single material response Surface Treatment: Plastic epoxy and plastic polyamide Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Overall Length:
Between 0.2696 inches and 0.2706 inches Body Inside Diameter: Between 0.2530 inches and 0.2545 inches Flange Outside Diameter: Between 0.4980 inches and 0.5080 inches Flange Width: 0.0580 inches Corner Shape: Square all corners Material: Iron alloy 660 Material Specification: Ams 5731 assn standard single material response or ams 5737 assn standard single material response Surface Treatment: Plastic epoxy and plastic polyamide Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Between 0.2450 inches and 0.2550 inches
Between 0.2530 inches and 0.2545 inches Flange Outside Diameter: Between 0.4980 inches and 0.5080 inches Flange Width: 0.0580 inches Corner Shape: Square all corners Material: In ally 660 Material Specification: Ams 5731 assn standard single material response or ams 5737 assn standard single material response Surface Treatment: Plastic epoxy and plastic polyamide Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Body Outside Diameter:
Between 0.2530 inches and 0.2545 inches Flange Outside Diameter: Between 0.4980 inches and 0.5080 inches Flange Width: 0.0580 inches Corner Shape: Square all corners Material: Iron alloy 660 Material Specification: Ams 5731 assn standard single material response or ams 5737 assn standard single material response Surface Treatment: Plastic epoxy and plastic polyamide Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Between 0.2696 inches and 0.2706 inches
Flange Outside Diameter: Between 0.4980 inches and 0.5080 inches Flange Width: 0.0580 inches Corner Shape: Square all corners Material: Iron alloy 660 Material Specification: Ams 5731 assn standard single material response or ams 5737 assn standard single material response Surface Treatment: Plastic epoxy and plastic polyamide Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Filg: A045a0 Mil-std (military Standard):	Body Inside Diameter:
Between 0.4980 inches and 0.5080 inches Flange Width: 0.0580 inches Corner Shape: Square all corners Material: Iron alloy 660 Material Specification: Ams 5731 assn standard single material response or ams 5737 assn standard single material response Surface Treatment: Plastic epoxy and plastic polyamide Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig: A045a0 Mil-std (military Standard):	Between 0.2530 inches and 0.2545 inches
Flange Width: 0.0580 inches Corner Shape: Square all corners Material: Iron alloy 660 Material Specification: Ams 5731 assn standard single material response or ams 5737 assn standard single material response Surface Treatment: Plastic epoxy and plastic polyamide Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Flange Outside Diameter:
Corner Shape: Square all corners Material: Iron alloy 660 Material Specification: Ams 5731 assn standard single material response or ams 5737 assn standard single material response Surface Treatment: Plastic epoxy and plastic polyamide Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Between 0.4980 inches and 0.5080 inches
Corner Shape: Square all corners Material: Iron alloy 660 Material Specification: Ams 5731 assn standard single material response or ams 5737 assn standard single material response Surface Treatment: Plastic epoxy and plastic polyamide Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Flange Width:
Square all corners Material: Iron alloy 660 Material Specification: Ams 5731 assn standard single material response or ams 5737 assn standard single material response Surface Treatment: Plastic epoxy and plastic polyamide Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	0.0580 inches
Material: Iron alloy 660 Material Specification: Ams 5731 assn standard single material response or ams 5737 assn standard single material response Surface Treatment: Plastic epoxy and plastic polyamide Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Corner Shape:
Iron alloy 660 Material Specification: Ams 5731 assn standard single material response or ams 5737 assn standard single material response Surface Treatment: Plastic epoxy and plastic polyamide Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Square all corners
Material Specification: Ams 5731 assn standard single material response or ams 5737 assn standard single material response Surface Treatment: Plastic epoxy and plastic polyamide Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Material:
Ams 5731 assn standard single material response or ams 5737 assn standard single material response Surface Treatment: Plastic epoxy and plastic polyamide Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Iron alloy 660
Surface Treatment: Plastic epoxy and plastic polyamide Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Material Specification:
Plastic epoxy and plastic polyamide Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Ams 5731 assn standard single material response or ams 5737 assn standard single material response
Surface Treatment Specification: Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Surface Treatment:
Mil-p-23377 military specification single treatment response Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Plastic epoxy and plastic polyamide
Style Designator: 22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Surface Treatment Specification:
22c solid, external flange one end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Mil-p-23377 military specification single treatment response
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Style Designator:
N/a Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	22c solid, external flange one end
Unit Of Measure: Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Shelf Life:
Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	N/a
Demilitarization: No Fiig: A045a0 Mil-std (military Standard):	Unit Of Measure:
No Fiig: A045a0 Mil-std (military Standard):	
Fiig: A045a0 Mil-std (military Standard):	Demilitarization:
A045a0 Mil-std (military Standard):	No
Mil-std (military Standard):	Fiig:
	A045a0
Mil-p-23377 spec.	Mil-std (military Standard):
	Mil-p-23377 spec.