Self-aligning Plain Bearing - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3120-01-352-2799

Bore Diameter:

Between 0.3120 inches and 0.3125 inches

Outer Member Outside Diameter:

Between 0.6870 inches and 0.6875 inches

Outer Member Width:

Between 0.2500 inches and 0.2600 inches

Inner Member Width:

Between 0.6200 inches and 0.6250 inches

Hardness Rating:

43.0 rockwell c inner member and 47.0 rockwell c inner member28.0 rockwell c outer race member and 37.0 rockwell c outer race member

Material:

Steel comp xm-13 inner membersteel comp 630 outer race memberplastic polytetrafluoroethylene race liner and plastic polyamide race liner

and plastic phenolic race liner

Material Specification:

Ams 5629 assn standard single material response inner memberams 5643 assn standard single material response outer race

membermil-b-81820 military specification single material response race liner

Surface Treatment:

Passivate inner member

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response inner member

Style Designator:

With insert and/or liner with staking groove

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A045a0

Mil-std (military Standard):

Mil-b-81820 spec.