

View Online at <https://aerobasegroup.com/nsn/3120-01-360-9412>

**Thread Class:**

3b

**Thread Direction:**

Right-hand

**Shank Style:**

Internally threaded

**Bore Diameter:**

Between 0.1895 inches and 0.1900 inches

**Outer Member Outside Diameter:**

0.7810 inches

**Bore Center To Shank End Distance:**

Between 1.3460 inches and 1.4660 inches

**Outer Member Width:**

0.3280 inches

**Inner Member Width:**

Between 0.4320 inches and 0.4370 inches

**Shank Thread Length:**

Between 0.6600 inches and 0.7500 inches

**Static Radial Load Rating:**

5600 pounds

**Thread Diameter:**

0.2500 inches

**Thready Qty Per Inch (tpi):**

28

**Special Features:**

The fabric non-lubricated liner is bonded to race id with thermoset phenolic adhesive

**Material:**

Steel comp 440c inner membersteel comp 630 race insertsteel comp 630 rod end body

**Material Specification:**

Qq-s-763 federal specification single material response inner memberams 5643 assn standard single material response race insertams 5643 assn standard single material response rod end body

**Style Designator:**

Ball type

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A045a0